| : Presenter, * : Correspondir | ng Author |
|-------------------------------|-----------|
|-------------------------------|-----------|

| 2012. 08. 27 (Mon)            |                      | T                  |   | : Presenter, * : Corresponding Author   |
|-------------------------------|----------------------|--------------------|---|---|
| Simposia<br>Advanced Material | Poster No.<br>PA-001 | Abstract No.<br>26 | Title Densification Behavior Analysis of ZrO2 Nanopowders by  | 저자<br>Hyo-Young Park1, M. Fatih Kilicaslan2, Uk-Hyon Joo3,  |
| rocessing                     |                      | 20                 | Magnetic Pulsed Compaction  | and Soon-Jik Hong1*   |
|                               | PA-002<br>PA-003     | 27<br>40           | Effect of Co on the Microstructure of AI-25Si-5Fe Alloys<br>Preparation of MgAI2O4 Spinel Nano-powders by Hydrolyzing   | M.F. Kilicaslan1, F. Yilmaz2, <u>O. Uzun</u> 2,*, and S.J. Hongi<br>Xiuhui Wang1, Huanhuan Ni1,*, Ye Cao1, Chengmin |
|                               | FA-003               | 40                 | Magnesium Aluminum Isopropoxide   | Wang2, Hong Gao1, Jinlong Yang3   |
|                               | PA-004               | 60                 | Preparation and Characterization of Copper Nanoparticles via<br>the Liguid Phase Plasma Method  | H.G. Kim1, H. Lee1, B.H. Kim2, S. J. Kim3, S.C. Kim4, a   |
|                               | PA-005               | 61                 | Thermal Properties of Epoxy/Heat-treated Pitch Composites   | <u>S.C. Jung</u> 1*<br>Gun-Young Heo, Soo-Jin Park*   |
|                               | PA-006               | 88                 | Fabrication and Property Evaluation of Mo Sputtering Target by  | Hee Jun. Youn, Hyun Kuk. Park, JungHan Ryu, Ik  |
|                               | PA-007               | 108                | Spark Plasma Sintering Process<br>Morphological Control of High Thermal Conductive Ceramic  | Hyun.Oh*<br>Dang Thi My Linh1,2, Chang-Yeoul Kim1,*, Kwang-Yeo  |
|                               |                      |                    | Materials   | Cho1, Hyo-Tae Kim1,<br>Jong-Hee Kim1, and Dae-Ho Yoon2  |
|                               | PA-008               | 111                | Effect of Re-immersion and Carbonization Treatments on the<br>Properties of Carbon Foam Prepared by Carbonization of<br>Resorcinol-Formaldehyde Precursor   | Youngmok Rhyim1*, Chang-Woo Lee1, Eunju Yi2, Si-<br>Young Choi1 and Yangdo Kim2                                     |
|                               | PA-009               | 118                | Experimental Study on Impact Properties of Composites with<br>Aluminum Foam and Honeycomb   | Y. C. Kim1, H. K. Choi1, S. Lee2, C. Cho2, and J. U. Cho1,*   |
|                               | PA-010               | 120                | Preparation of Solder Paste Containing Submicron Sn Powders<br>Synthesized<br>via Chemical Reduction and Its Reflow Soldering   | Sang-Soo Chee, Jong-Hyun Lee*   |
|                               | PA-011               | 125                | Characteristics<br>Synthesis of SiO2-SnO2-Pt Composite Nanowires via Co-  | YuJin Lee, <u>Hyo-Jin Ahn*</u>  |
|                               | PA-012               | 126                | electrospinning<br>Fabrication and Characterization of Nb-doped TiO2 Nanofibers   | HyeLan An, <u>Hyo-Jin Ahn∗</u>  |
|                               | PA-013               | 132                | via Electrospinning<br>An Analysis of Stress Intensity Factor Due to Normal Stress for  | <u>Ok-Hwan Kim</u> ∗, Young-Choon Kim   |
|                               | PA-014               | 133                | the Cracked Plate Reinforced with a Plate by Seam Welding<br>Adhesion Behavior and Corrosion Property of CaO-SiO2   | Hye Sung Kim∗, Jin Woo Ahn, Yoon-Hwae Hwang, Tae  |
|                               |                      | 100                | Nanocomposites on Pure Magnesium by a Sol-gel Dip Coating<br>Technique  | Gyu Kim, Jin kon Kim, and Hyun Cho  |
|                               | PA-015               | 135                | Microwave Technique: A Powerful Tool for Sintering Ceramic  | A. Borrell*,1, M.D. Salvador1, M. Miranda2, F.L.  |
|                               | PA-016               | 137                | Materials<br>Synthesis of Porous Cu-Sn using Freeze-Drying Process of   | Peñaranda-Foix3, and J.M. Catalá3<br>Sung-Tag Oh1, Si-Young Chang2, and Myung-Jin Suk                               |
|                               |                      |                    | CuO-SnO2/Camphene Slurries  |   |
|                               | PA-017               | 151                | Rapid Consolidation of Nanostuctured Ti-TiC Composite from<br>Mechanically Grinded Ti-10vol%CNT and TiH2-10vol%CNT<br>Powders by High Frequency Induction Heating and its<br>Mechanical Properties.               | <u>Na-Ra Park</u> , In-Jin Shon*  |
|                               | PA-018               | 157                | Structural Stability of Si Powder Coated Under High   | Byung Hwan Hong1, Jeong Min Kim1, Young II Son2, a  |
|                               | PA-019               | 164                | Temperature Plasma Flame<br>Surface Modified TiO2 Particles Obtained Through  | Joon Sik Park1*<br>L. Mancic1,*, I. Dugandzic1, D. Jovanovic2, Z. Saponji   |
|                               | PA-020               | 167                | Aerosol Processing of Colloid Precursors<br>The Mechanical Properties and Hot-extrusion of CNT-   | O. Milosevic1, and J. Nedeljkovic2<br>Daehwan Kim, Bonghak Seong, Guenho Van, Inshup Al                             |
|                               |                      |                    | reinforced AZ31 Magnesium based Composites  | and Sugun Lim *   |
|                               | PA-021               | 185                | Influence of Heat Treatment and Interlayer on Interface of AI/Ti<br>Clad Composite Fabricated by Groove Rolling   | T.H. Lee1, K.T. Park2, K.M. Ku1, W.G. Kim1, H.H.<br>Nersisyan3, H.G. Jeong4, and J.H. Lee1,2,*                      |
|                               | PA-022               | 192                | Characteristic Analysis of Forging Processes for Driving Gear<br>of Automobile Part   | Key-sun, Kim*   |
|                               | PA-023               | 195                | Characteristics of Machined Surface Layer of Cemented<br>Carbide by Wire Cutting Electrical Discharge Machine with<br>Various Discharge Energies.   | Woo Gun Sim1, Key-sun Kim2,*  |
|                               | PA-024               | 200                | Microstructures and Mechanical Properties of Cemented<br>Carbide Fabricated by New Consolidation Processes  | Joon-Woo Song1,*, Rumman Md. Raihanuzzaman1,<br>Hyun-Seon Hong2, and Soon-Jik Hong1                                 |
|                               | PA-025               | 203                | Evaluation of Mechanical Properties and Microstructural<br>Analysis of WC-7.5wt%nanoCo at Low Sintering Temperature   | Rumman Md. Raihanuzzaman, Joon-Woo Song, and<br>Soon-Jik Hong*  |
|                               | PA-026               | 207                | and with Increasing Sintering Pressure<br>Fabrication of CNT/AZ31 Mg-based Nano-composite by  | Byeong Cheol You1, Chan-Yang Choi1, Seung-Mi Lee  |
|                               | PA-027               | 210                | Friction Stir Processing<br>Fabrication of Li2TiO3 Pebbles by a Novel Freeze Drying   | Jai-Won Park2, Jai-Won Byeon1,*<br><u>Sang-Jin Lee</u> *, Min-Woo Yoo   |
|                               | PA-028               | 225                | Process<br>Effect of Strontium Addition on the Microstructures and<br>Mechanical Properties<br>of Mg-5AI-2Ca Alloys   | B.G. Moon*  |
|                               | PA-029               | 233                | Chemical and Morphological Characterization of Cu/Zn Alloy  | T.H. Lee1, W.G. Kim1, K.M.Ku1, H.H. ersisyan3, H.G.   |
|                               | PA-030               | 242                | Spherical Microparticles Generated in a Solid Flame<br>Molybdenum Nnopowders Prepared by the Reduction of   | Jeong4, and J.H. Lee1,2,*<br>Jong-II Park*  |
|                               |                      |                    | Molybdenum Oxide in RF Plasma   |   |
|                               | PA-031               | 247                | Microstructure and Texture in Asymmetrical Cross-roll Rolled<br>AA5052 Sheets   | Kye-Man Lee, Moo-Young Huh*   |
|                               | PA-032               | 271                | The Effect of Sc on the Microstructure and Mechanical<br>Properties of Hypereutectic AI-Si Alloy Fabricated by Gas<br>Atomization Process   | Tae-Haeng Lee*, Han-Jin Ko, and Soon-Jik Hong   |
|                               | PA-033               | 273                | A Novel Method for Fabricating Fe-Cr-Al Alloyed Foam for<br>Catalyzed Soot Filter   | Luong Huu Bac1,2, Byoung-Kee Kim1, and <u>Young-Mir</u><br>Kong1,*  |
|                               | PA-034               | 276                | Features of Formation Metal Doped Titanium Dioxide Nanotube<br>Films Obtained in Different Anodizing Condition  | Li Li He, Tursunkulov Oybek, Bunyod Allabergenov,<br>SangYup Kim, EunYoung Lee, Jeong Ae Park, and <u>Sun</u>       |
|                               | PA-035               | 283                | Synthesis of BaFe10 Al2O19 Nanoparticles by a Salt-matrix   | Kim*<br>S. G. Cho1, K. W. Jeon1, M. Kang1, Y. H. Choa2, and   |
|                               | PA-036               | 298                | Method<br>Preparation and Characterization of AgNO3 Doped ZnO-PVA<br>and TiO2-PVA Composite Powders by Spray Drying   | Kim1,*<br><u>Şeyma Duman</u> , Burak Özkal*   |
|                               | PA-037               | 299                | and IIO2-FVA Composite Powders by Spray Drying<br>Effects of High-Energy Ball-Milling Treatment and Bi Addition<br>on Hydrogen Storage Performance of Melt-spun LaNi4.7-<br>xAI0.3Bix (x=0, 0.1, 0.2, 0.3) Alloys | F. Yılmaz1, <u>O. Uzun</u> 1,*, M.F. Kılıçaslan2, O.M. Atanur3<br>and S.J. Hong4                                    |
|                               | PA-038               | 300                | Effects of Milling Time on Microstructural and Mechanical<br>Properties of Al-20Si-5Fe Alloy Fabricated by High-Energy<br>Ball-Milling  | O. Uzun1,*, F. Yılmaz1, M.F. Kılıçaslan2, and S.J. Hon  |
|                               | PA-039               | 307                | Density and Porosity Changes as a function of Forming   | Hyun-Yong Lee*, Seung-Kuk Seo, Beom-Jun Kim, Sa   |
|                               | PA-040               | 308                | Pressure for Graphite Bulks<br>Effects of Graphite Flakes Contents and Roughness under  | Min Lee, Heui-Sook Choi, and Jae-Seung Roh<br>Beom-Jun Kim*, Hyun-yong Lee, Seung-Kuk Seo, Jae                      |
|                               |                      |                    | Magnetic Field on the Thermal Emissivity of Graphite Coated   | ,, yong coo, obung nuk oeu, Jae   |

|   | PA-041           | 325     | Mechanical Properties and Frictional Behaviors of Brass   | D.H. Kwon1,2, H.J. Kim1,*, J.C. Bae1, and M.Y. Huh2  |
|---|------------------|---------|---|--|
|   | PA-042           | 328     | Composites Dispersed with Fe Powder<br>Investigation of Interaction System of H $\rightarrow$ H + Pt(111): A  | <u>Can Doğan Vurdu</u> 1,*, S. K. Deb Nath2, Fatma   |
|   | PA-043           | 329     | Molecular Dynamics Study<br>Determination of Potential Energy Surface of H Interaction with   | Kandemirli3,4, Ziya B. Güvenç5, and Soon-Jik Hong6<br>Can Doğan Vurdu1,*, Fatma Kandemirli2,3, Ziya B.   |
|   |                  |         | Pt(111) Covered with H: using Density Functional Methods  | Güvenç4, and Soon-Jik Hong5  |
|   | PA-044           | 335     | Crystallization and Hardness Behavior of an Amorphous<br>Al85Co7Y8 Alloy  | <u>B. Avar</u> *, M. Gogebakan   |
|   | PA-045           | 337     | Phase-dependent Corrosion in the Titanium-super Stainless<br>Steel Joints Brazed by the Commercial 72Ag-28Cu Alloy Foils  | <u>M. K. Lee</u> *, J. G. Lee, C. K. Rhee  |
| Mechanical Alloying &<br>Mechanochemistry | PA-046           | 79      | Influence of the Microstructure and Mechanical Properties by<br>Phase Selection in Ti-Fe-Sn Nanostructure Dendrite<br>Composite   | C. H. Lee1, G. A. Song2, J. H. Han3, E. M. Park1, and K.<br>B. Kim1,*  |
|   | PA-047           | 81      | Development of Rapidly Solidified Al-Ni-Y-X Amorphous<br>Alloys   | E.J.Yeo, J.H.Jo, J.T.Kim, and K.B.Kim*   |
|   | PA-048           | 87      | Improvement of the Mechanical Properties of Mg-Li based<br>Bulk Metallic Glasses  | J.H Jo1, S.C Mun1, H.S. Choi2, Y.H. Kim2, H.T. Son3, and<br>K.B Kim1.*   |
|   | PA-049           | 89      | Influence of Boron Addition on Microstructure and Mechanical<br>Properties of Fe-Nb-B Eutectic Composite Alloys   | <u>J. T. Kim</u> , C. H. Lee, E. J . Yeo, J. H. Jo, S. C. Mun, and<br>K. B. Kim*   |
|   | PA-050           | 119     | Synthesis and Characterization of IVB Group Transition Metal<br>Borides   | Duygu Ağaoğulları*, Özge Balcı, İsmail Duman, M. Lütfi<br>Öveçoğlu   |
|   | PA-051           | 173     | Structural and Physical Properties of Bulk Ni-B Alloys<br>Processed Through Powder Metallurgy   | Wook Jin Lee1, Sung kyun Park2, Jung Geun Kim1, Dae<br>Han Kim1, Jong Seong Bae3, Yong Ho Park1,*  |
|   | PA-052           | 295     | Infiltration Behaviour of Mechanical Alloyed 75 wt% Cu - 25<br>wt% WC Powders into Porous WC Compacts   | Aydın ŞELTE, Burak ÖZKAL   |
|   | PA-053           | 296     | The Effect of High Energy Milling on Production of 8%mole   | D. Yılmaz, B. Özkal  |
|   | PA-054           | 312     | Y2O3 doped ZrO2 Powders<br>Preparation of b-eucryptite from Powder Mixture of   | Wantae Kim1, Kwanho Kim1, Hoon Lee1, Hwasung Lee2  |
|   |                  |         | Pyrophyllite, Gibbsite<br>and Lithium Carbonate by Mechanochemical Treatment  | and Sangbae Kim1*  |
| Rare Metal                                | PA-055           | 46      | Separation of Rare Earth Elements using Adsorbent Materials<br>with Functional Groups   | Jae-Kil Han1,*, Sun-A Ju1, In-Cheol Kang1 and Taek-<br>Soo Kim2  |
|   | PA-056           | 77      | Separation of Heavy Rare Earth Elements with Extraction<br>Chromatography Method  | Jeong-Gon Kim*   |
|   | PA-057           | 94      | Optical Properties of Red-emitting (Gd1-x, Eux)-WOy<br>Phosphors  | Gil Jae Lee1, 2, Nu Si A Eom1, Taek-Soo Kim1 and Bum<br>Sung Kim1,*  |
|   | PA-058           | 129     | Effect of Dysprosium-compounds Treatment on Coercivity of<br>Nd-Fe-B Sintered Magnets   | D. R. Dhakal, S. Namkung, M. W. Lee, and T. S. Jang*   |
|   | PA-059           | 136     | Extraction, Stripping and Separation Possibilities of Rhenium   | JinGu Kang1,2, Yung-Uk Kim2, Ho-Sung Yoon1, J.   |
|   | PA-060           | 221     | and Molybdenum using Amine Based Extractant (TOA)<br>An Enhancement of Rapid SiO2 Atomic Layer Deposition Layer   | RAJESH KUMAR1, SungHo Joo1,2, <u>Shun Myung Shin</u> 1,2,*<br>JS. Park1, DW. Choi1, and <u>WB. Kim</u> 2,*   |
|   | PA-061           | 240     | by Nitric Acid Treatment<br>Effect of Phase on Magnetic Properties in (Nd, Dy)-Fe-B   | Sun Yong Song, Jin Woo Kim, and Young Do Kim*  |
|   |                  |         | Magnet<br>Fabricated by Spark Plasma Sintering Process  |  |
|   | PA-062           | 311     | In-situ Tungsten Nano Attached Particle Synthesis from<br>Tungsten  | Chulwoong Han, Jiwon Oh, Yonghwan Kim, and Hanshin<br>Choi*  |
| Resources &<br>Recycling                  | PA-063           | 19      | Preparation and Characterization of Ni Substituted LixMnyOz<br>and their Li Ion Adsorption Behaviors in Aqueous Medium  | Seul-Yi Lee, Hey-Min Yoo, Ki-Seok Kim, Gun-Young Heo,<br>and Soo-Jin Park*   |
|   | PA-064           | 48      | Sequestering Properties and Syntheses of Polyacrylate<br>Copolymers with Various Molecular Weight   | Jong-Mok Park, Min Bae Choi, and <u>Ho-Cheol Kang*</u>   |
|   | PA-065           | 49      | Effective Separation of Lanthanum and Cerium by using<br>Surfactants with Various Alkyl Chains  | Se Mi Kim, Eun Su Lee, Jong-Mok Park, Jeong-Hoon Kim,<br>and <u>Ho-Cheol Kang</u> *  |
|   | PA-066           | 51      | Separation of Iron Components from Waste NdFeB Magnet by<br>Roasting  | Kyoungkeun Yoo1,*, Kwangseok Lee1, Chul Joo Kim2 and<br>Ho-Sung Yoon2  |
|   | PA-067           | 52      | Synthesis of Stannic Acid from Waste Pb-free Solder by Nitric<br>Acid Leaching  | Kyoungkeun Yoo1,*, Kwangseok Lee1, Jae-chun Lee2   |
|   | PA-068           | 76      | Development of Recycling Process of HREE from CCFL with<br>Ion-chromatography Method  | Jeong-Gon Kim*   |
|   | PA-069           | 113     | Recovery of Neodymium from Nd-Fe-B Magnet by Liquid   | Hyun Woong Na, Jin Woo Ahn, Han Shin Choi, and Yong  |
|   | PA-070           | 115     | Metal Extraction<br>Recovery of Tungsten from Cemented Carbide Alloy Hard   | Hwan Kim*<br>Jin Woo Ahn, Seong Ho Son, Han Shin Choi, and Yong  |
|   | PA-071           | 178     | Scrap by Hydrometallurgical Process<br>The New Approach for Utilization of Mn Sulfate and Zn Sulfate<br>from Spent Zinc-Carbon and Alkaline Batteries   | Hwan Kim*<br><u>Jeongsoo Sohn.</u> Donghyo Yang, Kangin Rhee, Sookyung<br>Kim*   |
|   | PA-072           | 232     | Dissolution Properties of Valuable Metals in PDP Cullets<br>Fabricated by High Energy Ball Milling (HEBM)   | <u>Cheol-Hee Lee</u> 1, Chan-Mi Kim1, Sung-Kyu Lee2, Hyun-<br>Seon Hong2, Soon-Jik Hong1, and Jar-Myung Koo1,*   |
|   | PA-073           | 241     | Recovery and Separation of the Phosphor from the CCFL in  | Hyunseon Hong*, Hangchul Jung, Minhye Seo, Sunghyun  |
|   | PA-074           | 254     | End-of-Life LCD Units Investigation of Selectively Dismantle Efficiency for Recovery Comparison Matching for Work D Comparison for Recovery   | Uhm<br>Hyunseok Yang1,*, Geonhong Kim1, Mansik Kong1, Kiejin   |
|   | PA-075           | 257     | of Precious Materials from Waste Refrigerators<br>Recovery of the Copper from Waste Solutions Produced in the   | Park2, Bo Saeng Kim3, and Gwangwon Lee4<br>Hangchul Jung*, Geonhong Kim, Mansik Kong, and  |
|   | PA-076           | 264     | MoO3 Leaching Process<br>Purification of AM50 Magnesium Alloy Melt Containing   | Hyunseon Hong<br><u>B.G. Moon</u> 1,*, B.S. You1, Y.D. Hahn2, and D.Y. Kim1  |
|   | PA-077           | 266     | Polymeric Contamination<br>The Preliminary Electrochemical Study on Electrolytic<br>Dissolution Behavior of Tin from Waste Lead-free Solder in  | Sookyung Kim1, Jae-chun Lee1, Jinki Jeong1, Byungsoo<br>Kim1, Kyoungkeun Yoo2,*  |
|   | PA-078           | 277     | NaOH Solutions<br>Evaluation of Safety for LCC Crucible using Reactivity Test   | K.M.Ku1, T.H. Lee1, W.G. Kim1, H.Y. Ryu2, S.H. Kim2,   |
| Characterization and                      |                  |         | with Cadmium alloy containing Lanthanoids Elements  | D.Y. Kim2, and J.H. Lee1,2,*   |
| Characterization and<br>Modeling          | PA-079<br>PA-080 | 7<br>85 | Oxidation of Ti3AI0.3Si0.7C2 Compounds at 900-1100oC in Air<br>Molecular Dynamics Studies of Quenching Rate Effects on<br>Short to Medium Range order in Amorphous Structure of<br>Zr5C0_Matallic Glassos | Jae Chun Lee1, Sang Hwan Park2, and <u>Dong Bok Lee</u> 3,*<br><u>S.C. Mun</u> 1, S C. H. Lee1, J. H. Jo1, J. T. Kim1, E. J. Yeo1,<br>H. S. Nam2, P. R. Cha2, and K. B. Kim1,* |
|   | PA-081           | 158     | Zr50Cu50 Metallic Glasses<br>In-situ Monitoring of Micro-scale PWSCC of Ni-based Alloys<br>in a Simulated Primary Water Chemistry of PWR using an EN-<br>DCPD Technique                                   | <u>Sung-Woo Kim</u> 1,*, Yeon-Ju Lee1,2, and Seong-Sik<br>Hwang1   |
|   | PA-082           | 179     | DCPD Technique<br>Real-Time Monitoring of Charge/Discharge Degradation and<br>Reliability of Lithium Ion Secondary Battery by using Acoustic<br>Emission Technique  | <u>Chan-Yang Choi,</u> Jai-Won Byeon*  |
|   | PA-083           | 205     | Acoustic In-situ Monitoring of Low Temperature Degradation  | Kaige Wu, Chan-Yang Choi, Seung-Mi Lee, and Jai-Won  |
|   |                  | 1       | of 3Y-TZP Zirconia Ceramic  | Byeon*   |
|   | PA-084           | 270     | Catalyst Characteristic of Hybrid Pt/SiO2 Powder by Spray   | Jaecheol Yoon, Jin Ho Choi, Hye Young Koo, and Jung-   |

| 2012. 08. 29 (Wed)<br>Simposia           | Poster No.                           | Abstract No.             | Title  | : Presenter, * : Corresponding Author<br>저자   |
|--|--------------------------------------|--------------------------|--|---|
| Advanced Powder                          | PB-001                               | 17                       | Fabrication of W-1 wt% Ni Matrix Composites reinforced with  | <u>Özge Balcı</u> *, Duygu Ağaoğulları, Hasan Gökçe, M.Lütfi  |
| Metallurgy                               |                                      |                          | TiB2 and Y2O3 via<br>Mechanical Alloying at Ambient/Cryogenic Conditions and   | Öveçoğlu, and İsmail Duman  |
|  |                                      |                          | Activated Sintering Methods  |   |
|  | PB-002                               | 20                       | Characteristic of Niobium Powder Produced under Reduction<br>Temperature and Reductant   | Jae-sik Yoon1,*, Jae-yeol Yang1, and Byung II Kim2  |
|  | PB-003                               | 24                       | Fabrication and Mechanical Properties of B4C Sintered-body   | Hyun-Kuk Park1,2,*, In-Jin Shon2, and Ik-Hyun Oh1   |
|  |                                      |                          | for Friction Stir Welding Tool Application by Rapid Sintering<br>Method  |   |
|  | PB-004                               | 78                       | Mechanical Properties and Fabrication of Sintered-body Ti  | Hyun-Kuk Park1,2, Hee-Jun Youn1, Jung-Han Ryu1 and  |
|  |                                      |                          | from Hydride dehydride Ti powder for Machine Tool by Spark<br>Plasma Sintering Method  | lk−Hyun Oh1,*   |
|  | PB-005                               | 80                       | Fabrication and Property Evaluation of Ti Sputtering Target by<br>SPS Process  | Hyun-Kuk Park1, JungHan Ryu2, Hee-Jun Youn1, In-<br>Jin Shon3, and Ik-Hyun Oh4,*  |
|  | PB-006                               | 165                      | Analysis of Potential use of Powder Metallurgy Route with Ti-  | J.J. Candel, P. Franconetti, F. Devesa, <u>M.D. Salvador</u> *, V.  |
|  | PB-007                               | 168                      | 12.5Mo-4Sn Beta Titanium Alloy for Load Bearing Implants<br>A Study on the Debinding and Sintering Behavior of T42 High  | Amigo<br>Dae-Hwan Kim, Dong-Wook Park, Hye-Seong Kim,   |
|  |                                      | 100                      | Speed Steel by Powder Injection Molding (PIM)  | Kwon-Koo Cho,   |
|  | PB-008                               | 191                      | Microstructure and Mechanical Properties of Ultra Fine Grained   | Su-Gun Lim, and In-Shup Ahn1*<br>Kee-Do Woo*, Duck-Soo Kang, Sang-Hyuk Kim, and In-   |
|  |                                      |                          | TiC-Nicrobraz Hard Materials Fabricated by a High Frequency  | Jin Shon  |
|  | PB-009                               | 226                      | Induction Heated Sintering<br>Effect of Crystallization Condition of FeSiBNbCu Amorphous   | B.G. Moon*  |
|  |                                      |                          | Alloy<br>on the Microwave Properties   |   |
|  | PB-010                               | 230                      | Effect of Fe2O3 and Bi2O3 on Color and Transmittance of  | Seung Mi Lee, Jai-Won Byeon*  |
|  | PB-011                               | 249                      | Dental Zirconia<br>A Study about Electro - Discharge - Sintering Process of the  | YuJeong. Jo1, Geonhoon Lee1, Sangmin cheon1, Ukhyun.  |
|  | PB-011                               | 249                      | Ti-6AI-4V Powder doped with Hydroxyapatite   | Joo2, WonHee. Lee1,*  |
|  | PB-012                               | 279                      | Preparation and Characterization of Copper – Graphite  | T. N. Bien1, L.H. Bac1,2, B.K. Kim, J.S. Kim and <u>J. C.</u><br>Kim1*  |
|  | PB-013                               | 304                      | Composites by Electrical Explosion of Wire in Liquid<br>Formation and Corrosion Behavior of Cu-Zr-Ti Bulk Metallic   | P. Y. Lee*  |
|  |                                      |                          | Glasses Prepared by Mechanical Alloying and Vacuum Hot-<br>pressing  |   |
| Energy & Nuclear                         | PB-014                               | 62                       | Preparation and Electrochemical Behaviors of Pitch-based   | <u>Gun-Young Heo</u> , Soo-Jin Park*  |
| Materials                                | PB-015                               | 82                       | Activated Carbon<br>Synthesis of Nano-scale Coated Manganese Oxide/Graphene  | Ki−Seok Kim, Soo-Jin Park∗  |
|  |                                      |                          | and their High Electrochemical Performance   |   |
|  | PB-016                               | 84                       | Synthesis and Electrochemical Performance of Bi-functional<br>Group doped Microporous Carbons  | <u>Ki-Seok Kim</u> , Soo-Jin Park*  |
|  | PB-017                               | 114                      | Electrospray Direct Deposition of Catalyst Layer on Membrane   | Hyesook Joo1, Do Hyang Kim2, and Hanshin Choi1,*  |
|  | PB-018                               | 117                      | for Polymer Electrolyte Membrane Fuel Cells<br>Consolidation Methods and Anisotropy of Beryllium   | Suk Hoon Kang1,*, Jinsung Jang1, Yong-Hwan Jeong1,  |
|  | 00.010                               | 150                      |  | Tae Kyu Kim1, Yong Seok Choi2, and Kyu Hwan Oh2   |
|  | PB-019<br>PB-020                     | 159<br>171               | Relation Between Surface Oxide and SCC of Alloy 600<br>Effects of Partial Phase Transformation on Characteristics of   | Dong-Jin Kim*, Hong Pyo Kim, and Seong Sik Hwang<br>Ji-Hyun Yoon1,*, Yongbok Lee1, Suk-Hoon Kang1, Bong-  |
|  | 00.001                               | 100                      | 9Cr Nanostructured Ferritic Alloy  | Sang Lee1, Thak S. Byun2, and David T. Hoelzer2   |
|  | PB-021                               | 182                      | Evaluation of Microstructure and Mechanical Properties in a<br>Thick Plate of G91 Steel and Its Weld for High Temperature  | Min-Chul Kim, Sang-Gyu Park, Ki-Hyoung Lee, Sung Ho<br>Kim, and <u>Bong-Sang Lee</u> *  |
|  | PB-022                               | 197                      | Nuclear System<br>Influence of Physico-chemical Properties of Porous Carbon  | Min-Jung Jung1, Yesol Kim1, Sang Ick Lee2, and Young-   |
|  | FD-022                               | 197                      | Nanofibers on Characteristics of Electric Double-layer   | Seak Lee1,*   |
|  | PB-023                               | 204                      | Capacitors<br>Microstructures and Electrochemical Properties   | Dae Yeong Jeong, Seong Min Bae, Won-Wook park, and  |
|  |                                      |                          | of Si-Ni-Ti Alloys Mixed with Various Carbon   | Keun Yong Sohn*   |
|  | PB-024                               | 209                      | Electrochemical Properties of Rapidly Solidified Si-Cu-Ni-Zr-<br>Ti base Alloy Powders for the Anode of Li-ion Battery   | Seong Min Bae, Dae Yeong Jeong, Keun Yong Sohn, and Won-Wook Park*  |
|  | PB-025                               | 215                      | Superconducting Properties of Powder-in-tube Processed Fe-   | <u>Jaeil Le</u> e, Jung-Ho Ahn*   |
|  | PB-026                               | 231                      | Se-Te<br>Characteristics of Intergranular Attack in Alloy 600 Steam  | Kyung Soo Im*, Myung Sik Choi, Kyung Mo Kim, and Do   |
|  |                                      |                          | Generator Tubing   | Haeng Hur   |
|  | PB-027                               | 234                      | Observed in an Operating Plant and Laboratory<br>Effect of Environmental Factors on the Dispersion Behavior of   | E.H. Lee*, <u>K.M. Kim</u> , W.Y. Maeng, and D.H. Hur   |
|  |                                      |                          | Iron Oxide<br>in Aqueous Solution with Poly Acrylic Acid   |   |
|  | PB-028                               | 251                      | Silicon Solar Cell Coupled with Graphene Electrodes for  | Sang-Yeop Kim1, Jeong-Ae Park1, Eun-Young Lee1,   |
|  |                                      |                          | Charge Collection  | Young Cheol Lee1, Taeyong Kim1, Heung Woo Jeon2,*,<br>and Sungiin Kim1  |
|  | PB-029                               | 255                      | ZnO Nanostructures and Graphene using Dye-sensitized Solar   | Jeong-Ae Park, Soo-Jeong Jo, Eun-Young Lee, Sang-   |
|  |                                      |                          | Cells  | Yeop Kim, Jeong Hwan Lee,<br>Young Cheol Lee, Tae Yong-Kim, Soon-Wook Jeong,  |
|  |                                      | 0.50                     |  | Sung-Jin Kim  |
|  | PB-030                               | 258                      | Coupled with Graphene Electrods to Improve Silicon Solar Cell<br>Research of the Charge Collection   | Sang-Yeop Kim, Jeong-Ae Park, Eun-Young Lee, Young<br>Cheol Lee, Taeyong Kim  |
|  | 00.001                               | 007                      |  | Heung Woo Jeon*, and Sungjin Kim  |
|  | PB-031                               | 267                      | Replacing ITO with Graphene and using ZnO Buffer Layer<br>Organic Solar Cells  | Eun Young Lee, Soo Jeong Jo, Sang Yup kim, Jeong Hwar   |
|  |                                      |                          | Microstructural Characterization of Nano-sized Oxide   | Lee, Jeong Ae Park, and Sung Jin Kim*   |
|  | 00.000                               |                          |  | Jun-Hwa Hong1, Chang Hee Han1, Tae Kyu Kim1, Yong   |
|  | PB-032                               | 280                      | Dispersion Strengthened Steel  | Hwan Jeong1, Jinsung Jang1,*  |
|  |                                      |                          |  | Xiaodong Mao1,2, and Kyu Hwan Oh2   |
|  | PB-032<br>PB-033                     | 280                      | Effect of Thermal Annealing Process on Mechanical of   | Xiaodong Mao1,2, and Kyu Hwan Oh2<br>Bunyod Allabergenov, Oybek Tursunkulov, Sang-Yeop  |
|  | PB-033                               | 284                      | Effect of Thermal Annealing Process on Mechanical of<br>Behavior of STS 430-TiCxNy Composites Prepared by Spark<br>Plasma Sintering  | Xiaodong Mao1,2, and Kyu Hwan Oh2<br><u>Bunyod Allabergenov</u> , Oybek Tursunkulov, Sang-Yeop<br>Kim, Eun-young Lee,<br>Seung Jin Yun, Jeong-Ae Park, He Li Li, and Sungjin Kim  |
|  |                                      |                          | Effect of Thermal Annealing Process on Mechanical of<br>Behavior of STS 430-TiCxNy Composites Prepared by Spark<br>Plasma Sintering<br>Manufacturing of Hollow Carbon Ball from Carbon Blacks by   | Xiaodong Mao1,2, and Kyu Hwan Oh2<br><u>Bunyod Allabergenov</u> , Oybek Tursunkulov, Sang-Yeop<br>Kim, Eun-young Lee,<br>Seung Jin Yun, Jeong-Ae Park, He Li Li, and Sungjin Kim<br><u>Jae-Seung Roh</u> *, Seung-Kuk Seo, Beom-Jun Kim, Hyun-  |
|  | PB-033<br>PB-034                     | 284                      | Effect of Thermal Annealing Process on Mechanical of<br>Behavior of STS 430-TiCxNy Composites Prepared by Spark<br>Plasma Sintering<br>Manufacturing of Hollow Carbon Ball from Carbon Blacks by<br>Oxidation in CO2   | Xiaodong Mao1,2, and Kyu Hwan Oh2<br><u>Bunyod Allabergenov</u> , Oybek Tursunkulov, Sang-Yeop<br>Kim, Eun-young Lee,<br>Seung Jin Yun, Jeong-Ae Park, He Li Li, and Sungjin Kim<br><u>Jae-Seung Roh</u> *, Seung-Kuk Seo, Beom-Jun Kim, Hyun-<br>yong Lee, Kwang-Ju Lee, Sang-Min Lee, and Suk-Hwan<br>Kim   |
|  | PB-033                               | 284                      | Effect of Thermal Annealing Process on Mechanical of<br>Behavior of STS 430-TiCxNy Composites Prepared by Spark<br>Plasma Sintering<br>Manufacturing of Hollow Carbon Ball from Carbon Blacks by<br>Oxidation in CO2<br>Microstructure and Soft Magnetic Properties of Fe-4.5Si and  | Xiaodong Mao1,2, and Kyu Hwan Oh2<br><u>Bunyod Allabergenov</u> , Oybek Tursunkulov, Sang-Yeop<br>Kim, Eun-young Lee,<br>Seung Jin Yun, Jeong-Ae Park, He Li Li, and Sungjin Kim<br><u>Jae-Seung Roh</u> *, Seung-Kuk Seo, Beom-Jun Kim, Hyun-<br>yong Lee, Kwang-Ju Lee, Sang-Min Lee, and Suk-Hwan  |
|  | PB-033<br>PB-034<br>PB-035<br>PB-036 | 284<br>309<br>324<br>338 | Effect of Thermal Annealing Process on Mechanical of<br>Behavior of STS 430-TiCxNy Composites Prepared by Spark<br>Plasma Sintering<br>Manufacturing of Hollow Carbon Ball from Carbon Blacks by<br>Oxidation in CO2<br>Microstructure and Soft Magnetic Properties of Fe-4.5Si and<br>Fe-6.5Si Disc Consolidated by Spark Plasma Sintering Process<br>Microstructure of Friction Stir Welded Modified 9Cr-1Mo Steel | Xiaodong Mao1,2, and Kyu Hwan Oh2<br><u>Bunyod Allabergenov</u> , Oybek Tursunkulov, Sang-Yeop<br>Kim, Eun-young Lee,<br>Seung Jin Yun, Jeong-Ae Park, He Li Li, and Sungjin Kim<br><u>Jae-Seung Roh</u> *, Seung-Kuk Seo, Beom-Jun Kim, Hyun-<br>yong Lee, Kwang-Ju Lee, Sang-Min Lee, and Suk-Hwan<br>Kim<br><u>E.J. Cha</u> , H.J. Kim*<br><u>Jung G. Lee</u> *, M. K. Lee, and C. K. Rhee |
| Nanocomposite and<br>Nanoporousmaterials | PB-033<br>PB-034<br>PB-035           | 284<br>309<br>324        | Effect of Thermal Annealing Process on Mechanical of<br>Behavior of STS 430-TiCxNy Composites Prepared by Spark<br>Plasma Sintering<br>Manufacturing of Hollow Carbon Ball from Carbon Blacks by<br>Oxidation in CO2<br>Microstructure and Soft Magnetic Properties of Fe-4.5Si and<br>Fe-6.5Si Disc Consolidated by Spark Plasma Sintering Process  | Xiaodong Mao1,2, and Kyu Hwan Oh2<br><u>Bunyod Allabergenov</u> , Oybek Tursunkulov, Sang-Yeop<br>Kim, Eun-young Lee,<br>Seung Jin Yun, Jeong-Ae Park, He Li Li, and Sungjin Kim<br><u>Jae-Seung Roh</u> *, Seung-Kuk Seo, Beom-Jun Kim, Hyun-<br>yong Lee, Kwang-Ju Lee, Sang-Min Lee, and Suk-Hwan<br>Kim<br><u>E.J. Cha</u> , H.J. Kim*  |

| PB-038 | 29  | Synthesis of Silver-deposited PAN/TiO2 Nanofibers for<br>Bactericidal and Photocatalytic Activity by Electron Beam  | <u>Joon-Pyo Jeun</u> 1,2, Hyun-Bin Kim1, Jung-Ki Park2, and<br>Phil-Hyun Kang1 ,*  |
|--------|-----|---|--|
| PB-039 | 43  | Irradiation<br>Synthesis and Characterization of Porous Magnesium<br>Aluminate Spinel by Hydrothermal Process as Catalyst Support   | Xiuhui Wang1, Jianlong Yin1,*, Miaoyan Huang1, Shengb<br>Lu1, Hong Gao1, Jinlong Yang2   |
| PB-040 | 45  | Synthesis and Visible Light Photocatalytic Activity of Ag spot-<br>coated TiO2-SrO Composite Powders  | Hyeong-Chul Kim1, <u>Jae-Kil Han2,*</u>  |
| PB-041 | 64  | Electric Double Layer Capacitive Performance of Coal-tar<br>Pitch-based Activated Carbons   | Min-Kang Seo1, Yun-Su Kuk1, and Soo-Jin Park2,*  |
| PB-043 | 92  | Effect of Alumina Nanofiller on Viscosity and Electrical<br>Conductivity of Glass Nanocomposites for Solid Oxide Fuel<br>Cell Seals   | Sung-Min Park, Su-Mi Jo, Sung Park1, <u>Jae Chun Lee1</u> ,<br>Jong-Ho Lee2, Hae-Weon Lee2, and Dong Bok Lee3  |
| PB-044 | 101 | The Effect of Vertically Aligned CNTs Length on the Mechanical<br>and Electrical Properties in CNTs-Reinforced Polymer<br>Composites  | Youngsoo Park1,4, Mongyong Huh1,4, Byung-Joo Kim4,<br>Yun-Su Kuk3,4, Sin-Jae Kang2,4, and <u>Kay-Hyeok An4,*</u>   |
| PB-045 | 107 | Dye Sensitized Solar Cell Using TiO2 Nanopowders and<br>Nanoporous Composite Electrode  | Hong-Jin Kim1,2, Hae-Jin Hwang2, <u>Chang-Yeoul Kim</u> 1,   |
| PB-046 | 109 | Cellulose Aerogel/Polymer Composite Membrane for Drug<br>Delivery   | Eun-Byul Ko1,2, Sang-II Hyun1, Don-Haeng Lee2, and<br>Chang-Yeou1 Kim1,*   |
| PB-047 | 123 | Electromagnetic Interference Shielding Effectiveness of<br>Fluorinated Graphene-filled Epoxy Matrix Nanocomposites  | Byung-Joo Kim1, Kyong-Min Bae2, Soo-Jin Park2, and Kay-Hyeok An1,*   |
| PB-048 | 130 | Preparation of Highly Dispersed Carbon Black using Liquid<br>Phase Plasma Process.  | Kang-Seop Yun1, Hyo-Keun Ahn1, Bo-Ra Kim1, Sang-<br>Chai Kim2, Woo-Seung Kang3, Sang-Chul Jung4, and<br>Sun-Jae Kim1,*                                     |
| PB-049 | 134 | Fabrication of Nano-Crystalline WC-0.5wt%Co-0.3wt%VC-<br>0.4wt%Cr-1.0wt%Mo2C Composite by Sinter-HIP and its<br>Mechanical Properties.  | Dong Ki Kim1, Geun Sung Jung1, Je Ha Oh1, In Jin Shor<br>Ki Yeol Kim3,<br>Seung Pil Seo3, and Sin Jae Kang4,*  |
| PB-050 | 138 | Peel Strength of Copper Circuit Layers on Nanoporous Anodic<br>Aluminum Oxide Layer<br>for High Power LED Packages  | Hyeong-Won Shin, <u>Hyo-Soo Lee*</u>   |
| PB-051 | 150 | Rapid Consolidation of Nanocrystalline Al2O3 Reinforced Co<br>Composite from Mechanically Alloyed Powders by High<br>Frequency Induction Heated Sintering and its Mechanical<br>Properties. | <u>Na-Ra Park</u> , In-Jin Shon∗   |
| PB-052 | 152 | Rapid Synthesis and Consolidation of Nanostructured<br>2MgAI2O4-MgAI2Ti3O10 Composite and Its Mechanical<br>Properties  | <u>In−Jin Shon</u> *, Hyun−Su Kang   |
| PB-053 | 153 | Mechanical Properties and Fabrication of Nanostructured TiN-<br>AIN Composite by High-Frequency Induction Heated Sintering  | <u>In−Jin Shon</u> *, Hyun−Bo Shim   |
| PB-054 | 154 | Properties and Rapid Consolidation of TiCN-TiAl Compound by<br>Ppulsed Ccurrent Aactivated Ssintering   | In-Jin Shon* , Song-Lee Du   |
| PB-055 | 163 | Irradiation Aging of Ternary SBR/CSM/Silica Nanocomposites  | M. Marinović-Cincović1,*, <u>G. Marković2</u> , V. Jovanović3,<br>Samaržija-Jovanović3, and J. Budinski-Simendić4  |
| PB-056 | 193 | Effects of Chemical Activation and Heat-treatment on Pitch-<br>based Nonwoven Nanofibers<br>for Gas-sensor Electrode  | <u>Jinhoon Kim1</u> , Sung ho Lee2, and Young-Seak Lee1,*  |
| PB-057 | 196 | Functionalized Carbon Molecular Sieves by Oxyfluorination for<br>Biomass Gas Separation   | Se Ho Cho1, Hye-Ryeon Yu1, Ki-Dong Kim2, Kwang Se<br>Oh3, and Young-Seak Lee1,*  |
| PB-058 | 198 | Electrochemical and Structural Characteristics of Activated<br>Carbon-Based Electrodes<br>by Phosphoric Acid Treatment  | <u>Hye-Ryeon Yu.</u> Min-Jung Jung, and Young-Seak Lee*  |
| PB-059 | 199 | Improved CO2/CH4 Separation Behavior of Carbon Molecular<br>Sieve Treated by Amino-fluorination   | Do Young Kim1, Byong Chol Bai1, Se Ho Cho1, Ki-Dong<br>Kim2, Young-Seak Lee1,*   |
| PB-060 | 201 | Porous PAN/Pitch Based Carbon Fabric Derived from<br>Magnesium Oxide Template<br>for Nitrogen Monoxide Gas Sensibility  | Yesol Kim, Se Ho Cho, and Young-Seak Lee*  |
| PB-061 | 236 | Hydroisomerization of N-dodecane Over Pt/Al-MCM-48  | Hyung Won Lee1, Kwang-Eun Jeong2, Soon Yong<br>Jeong2, Jeong Sik Han3, Sung Hoon Park4, Jong-Ki<br>Jeon5, and Young-Kwon Park1, 6,*                        |
| PB-062 | 250 | Crystallization Mechanism and Grain Growth of Amorphous Fe-<br>Si-B-Nb-Cu Base Alloy Ribbons Containing a Small Amount of<br>Additional Elements  | Seul Ki Nam, Sung Choon Yoon, Keun Yong Sohn, and<br>Won-Wook Park*  |
| PB-063 | 272 | Manufacturing of Hybrid Nano Particles in Various Pt Salt<br>Solvent by Electrical Wire Explosion Method  | Jin-Ho Choi, Jae-Cheol Yoon, Hye-Young Koo, and<br>Jung-Yeul Yun*  |
| PB-064 | 285 | Air Spray Jet of Biodegradable Poly(Lactic Acid)/<br>Hydroxyapatite Hybrid Composite Mats for Tissue Engineering<br>Applications  | <u>Abdalla Abdal-ha</u> y1,2,3, Seok Geun Park2, Do Yeon<br>Jung2, Jae Kyoo Lim2,*   |
| PB-065 | 290 | Dehydration of 2-Butanol over Platinum Supported on<br>Ferrierite   | Jung-hyun Bae1, Young-Kwon Park2, <u>Jong-Ki Jeon</u> 1,*  |
| PB-066 | 297 | Production and Characterization of Undoped and Ag and B<br>Doped ZnO Nanoparticles via Spray Drying and Thermal<br>Decomposition Techniques   | <u>Şeyma Duman</u> , Burak Özkal*  |
| PB-067 | 318 | Study on Optical Interference Effect of Graphene-based Films<br>on SiO2 and Si3N4 Dielectric Films  | Inhwa Jung, Kyong-Yop Rhee*  |
| PB-068 | 319 | Experimental Investigation on the Conductive Behavior of<br>Carbon Nanotube Reinforced Natural Polymer Nanocomposites   | J.H. Lee, <u>K.Y. Rhee*</u>  |
| PB-069 | 11  | Characteristic of CdSe and CdSe/CdS Quantum Dots with<br>Synthesis Condition  | Nu Si A Eom1.2, Taek-Soo Kim1, Yong-Ho Choa2 and Bum Sung Kim1,*   |
| PB-070 | 31  | Fabrication and Sensing Property for Conducting Polymer<br>Nanowire based Biosensor for Detection of Immunoglobulin G   | Eun-Sil Park1, Dae-Hwan Jang1, Young-In Lee1, Chan<br>Woo Jung2, Dong woo Lim2,<br>Bum Sung Kim3, Young-keun Jeong4, Nosang V. Myung<br>and Yong-Ho Choa1* |
| PB-071 | 35  | Enhanced Electromagnetic Wave Absorption Properties of Fe-<br>Ni Alloy Nanowires Prepared by Electrospinning Method   | Sang-Kwan Lee1, Dae-Hwan Jang2, Sang-Geun Cho3,<br>Sang-Bok Lee1, Young-In Lee2,<br>Eun-sii Park2, Bum Sung Kim4, Jongryoul Kim3, and<br>Yong-Ho Choa2*    |
| PB-072 | 36  | Production of Titania-Silica Aerogel Powders by Cost-effective<br>Facile Process  | You Na Kim1, Godlisten N. Shao2, Sun Jeong Jeon1, an<br>Hee Taik Kim1,2,*  |
| PB-073 | 38  | Preparation of SiO2/TiO2 Composite Materials<br>via with Industrial by-product of Carbon Dioxide Gas  | Sun Jeong Jeon1, You Na Kim1, Si Nae Song2, and Hee<br>Taik Kim1,2,*   |
| PB-074 | 75  | A Spherical Silica Aerogel/Magnetite Nanocomposite by Simple<br>Synthesis Technique   | Jun Sung Lee1, Mi Young Yoon1, Namjung Hur2, and <u>Ha</u><br>Jin Hwang1,*   |
| PB-075 | 98  | Low Current Resistive Switching Behavior in<br>Semiconductor/Ferroelectric Coupling   | Hongsu Park2,*, YoungWoong Moon1 and DuckKyun<br>Choi1   |
| PB-076 | 105 | Microstructure of Cu/SiC Composite Powders Derived from   | Sung-Tag Oh*, Sunmi Park, Won-Suk Lee, Na-Yeon   |

PB-087

|                               | PB-077 | 122 | Carbon Nanotube Formation and Application using Zeolite<br>Template   | <u>W. Zhao</u> , I.J. Kim*  |
|-------------------------------|--------|-----|---|---|
|                               | PB-078 | 124 | Effect of Heat-treatment on the PL Spectra and Photocatalytic<br>Properties of Solution Combusted ZnO<br>Nanopowders  | Sung Park1,*, Ji Hye Kim1, Gil Rak Choi1, Youn Cheol<br>Kim2 <u>, Jae Chun Lee</u> 1, and Ju Hyeon Lee3               |
|                               | PB-079 | 140 | Microstructure of Porous Tungsten Fabricated by Freeze-<br>Drying and Hydrogen Reduction of Tungsten Oxide/Camphene<br>Slurries   | Young-Sook Lee1, Yong-Ho Choa1, Sung-Tag Oh2, and<br>Chang-Yong Hyun2,*   |
|                               | PB-080 | 148 | Influence of Magnetic and Dielectric Loss of Polymer<br>Composites Containing Magnetic Flake Particles (Sendust,<br>Permalloy) on the Noise Absorption in Microstrip Line | Joon-Hee Lim1, <u>Sung-Soo Kim</u> 1*   |
|                               | PB-081 | 149 | Preparation of Ag-coated Hollow Microspheres by Electroless<br>Plating for the Application to Lightweight Microwave Absorbers   | Wook-Joong Kim1, <u>Sung-Soo Kim</u> 1*   |
|                               | PB-082 | 220 | Fabrication of Photo-luminescent Silicon Quantum Dots using<br>Photo-induced Chemical Etching   | <u>B.−S. Kim</u> 1, W.−B. Kim2,*  |
|                               | PB-083 | 289 | Synthesis of Large-Scale of Few-layered Graphene Films<br>using a Chemical Vapor Deposition and Surface Studies of the<br>Resulting Films                                 | Oybek Tursunkulov, Bunyod Allabergenov, Sang-Yeop<br>Kim, Eun-young Lee, Jeong-Ae Park, He Li Li, and Sungjin<br>Kim* |
|                               | PB-084 | 339 | The Role of Multi-walled Carbon Nanotube on the Magnetic<br>Properties of Cobalt Oxide Powders  | Kyung Tae Kim1,*, Eun-Hye Shin1, Jürgen Eckert 2  |
|                               | PB-085 | 340 | AI-AIN Composite Manufactured by Gas Reaction Method for<br>High Thermal Conductivity and Low Thermal Expansion   | <u>Hyo-Jin Kim</u> 1,3, Kyung-Won Park2, Hye-Jung Jang1,<br>Kun-Bae Lee4,<br>Jae-Chul Lee3, and Jae-Pyoung Ahn1,*     |
|                               | PB-086 | 341 | Euler Buckling Behavior and Electrical Contact Resistance of<br>Highly Flexible Single Crystalline Au Nanowire  | Jong-Hyun Seo1,2, Yigil Cho3, Tae-Yeon Sung,2 Kun-<br>Bae Lee4, In-Suk Choi3, and Jae-Pyoung Ahn1,*                   |
| Energy & Nuclear<br>Materials | PB-087 | 269 | The Effects of Synthesis Temperatures and Times on Physical<br>Properties and Catalytic Activities of Synthesized Mesoporous<br>ZSM-5 Zeolites                            | S. Vichaphund1,2, D. Aht-Ong1, 2, V. Sricharoenchaikul3,<br>and D. Atong4,*   |